



Specific Quick Change Applicator

## Crimping Applicator with Dual Carrier Strip Guide




- processing of two different terminals
- no more interruption providing certain conditions
- substantial increase in productivity
- designed for machines with shuttle systems
- perfect to handle on our new crimping machines Megomat 1000
- shuttle for dual carrier strip guide required



dual carrier strip guide




applicator shuttle cart



applicator on shuttle

## Crimping Applicator with Dual Carrier Strip Guide



### Description

This applicator was designed for alternate processing of two different terminals on an **automatic wire terminating machine**. After placing the dual carrier strip guide tooling on the machine with the shuttle the jobs can be recalled with the HMI and processed automatically **without interrupting the production** run. Before, it was necessary to stop the production and now thanks to this dual guide applicator no more interruption providing certain conditions are met. A further benefit is the substantial **increase in productivity**. A typical application would be processing wires which are crimped alternatively with a female and male terminal with the same crimp geometry.

### Configuration of the applicator

- pneumatic feed for each terminal
- central connection for pneumatic and electric

### Configuration requirement

- Schaefer shuttle for dual carrier strip guide
- appropriate shuttle interface on the terminating machine

### Range of application of the applicator

- designed for Schaefer terminating machine such as the Megomat 1000
- under specific conditions can also be used on terminating machines of other brands

### Range of Application

This applicator is being used in the wire harness industry for automobiles.

### Examples of use

The applicator with dual carrier strip guide is available for crimpmachines with shuttle systems.

## Sales and Service for France



### Vario Technologies sarl

43, Rue Louis Robert

91100 Corbeil Essonnes

Phone: +33 970 44 55 26

Fax: +33 173 76 64 62

Email: [peter.sandkamp@vario-technologies.com](mailto:peter.sandkamp@vario-technologies.com)

URL: [www.vario-technologies.com](http://www.vario-technologies.com)

## Headquarters



### Schäfer Werkzeug- und Sondermaschinenbau GmbH

Dr.-Alfred-Weckesser-Str. 6

76669 Bad Schönborn

Phone: +49 7253 9421-0

Fax: +49 7253 9421-94

Email: [info@schaefer.biz](mailto:info@schaefer.biz)

URL: [www.schaefer.biz](http://www.schaefer.biz)

INNOVATIVE  
MASCHINE SOFTWARE



 WireStar 20

NEW